

Year 11 – Chemistry units 1. Trends in the periodic table and bonding test – Revision 1

Section A: Multiple choice (25 questions = 25 marks)

1. A characteristic of metallic elements is that:

- A. their atoms usually share electrons with atoms of non-metals
- B. their electronegativities are high, which means they lose electrons easily
- C. their atoms have only a small number of electrons in the valence shell and these can be removed relatively easily
- D. in the solid state, electrostatic forces are not important since strong metallic bonds hold the atoms together

2. Some properties of various metals are identified in the list below.

I. Ductility

II. Electrical conductivity

III. Magnetism

IV. Malleability

Identify which of the properties listed above can be explained using the metallic bonding model.

- A. I and II only
- B. I, II and III only
- C. I, II and IV only
- D. II, III and IV only

3. The likely order of melting points from lowest to highest for the list of substances below will be:

- A. N₂, H₂O, CH₄, Na, NaCl
- B. N₂, Na, CH₄, H₂O, NaCl,
- C. Na, N₂, NaCl, H₂O, CH₄,
- D. CH₄, Cl₂, H₂O, NaCl, Al

4. An aqueous solution of copper (II) chloride conducts electricity because

- A. there are electrons that are free to move
- B. the water that forms the solution conducts electricity
- C. copper is a good conductor
- D. ions are free to move in the solution

5. In an ionic compound formed by the elements of atomic numbers 9 and 13, the ratio of positive to negative ions respectively is:

- A. 1:1
- B. 13:9
- C. 3:1
- D. 1:3

6. Water (H_2O) is a liquid under standard laboratory conditions of 25°C temperature and 1 atm pressure, but hydrogen sulfide (H_2S) is a gas under the same conditions. This occurs because there are:

- A. stronger dispersion forces in water than those in H_2S
- B. Weaker dipole-dipole forces in water than those in H_2S
- C. covalent bonds between the water molecules
- D. hydrogen bonds between the water molecules


7. Many compounds can be formed from two different elements. Identify which one of the following pairs of elements reacts to form a compound with **ionic bonding**?

- A. Magnesium and sulphur
- B. Fluorine and iodine
- C. Iron and chromium
- D. Hydrogen and oxygen

8. The **total** number of non-bonding outer-shell electron pairs in a molecule of PCl_3 is:

- A. 0
- B. 1
- C. 4
- D. 10

9. The molecule shown below will:




- A. contain polar bonds but be non-polar
 - B. be non-polar and contain no polar bonds
 - C. contain polar bonds and be polar
 - D. form a three-dimensional network solid
10. In liquid methanol (CH_3OH) covalent bonds, hydrogen bonds and dispersion forces are present.
- Identify which of these bonds or forces are broken when a sample of methanol is vaporised into a gas?
- A. Hydrogen bonds only
 - B. Hydrogen bonds and dispersion forces only
 - C. Covalent bonds and hydrogen bonds only
 - D. Covalent bonds, hydrogen bonds and dispersion forces
11. Identify which of the following molecules is non-polar?
- A. NH_3
 - B. F_2O
 - C. C_2H_6
 - D. HCl
12. Which of the following does **not** explain a substance displaying a high melting point?
- A. Strong intermolecular forces between molecules.
 - B. Strong covalent bonds.
 - C. Strong electrostatic attraction between oppositely charged ions.
 - D. Strong electrostatic attraction between positive ions and delocalised electrons

13. Phosphine has a molecular formula of PH_3 . The shape of phosphine molecules is most likely to be:

- A. linear
- B. V-shaped
- C. a trigonal pyramid
- D. a tetrahedron

14. Consider the following diagram.



The molecule is

- A. non-polar, but it contains polar bonds.
- B. non-polar, and it contains only non-polar bonds.
- C. polar, and it contains polar bonds.
- D. polar, but it contains non-polar bonds.

15. Listed below are four processes or reactions and the types of bonds broken during each of the processes or reactions. Identify which matching of process/reaction and bond type is **incorrect**?

	Process/reaction	Types of bonds broken
A.	$\text{N}_2(\text{s}) \rightarrow \text{N}_2(\text{g})$	dispersion forces
B.	$\text{Hg}(\text{l}) \rightarrow \text{Hg}(\text{g})$	metallic bonds
C.	$2\text{NaCl}(\text{s}) \rightarrow 2\text{Na}(\text{g}) + \text{Cl}_2(\text{g})$	ionic bonds
D.	$\text{H}_2\text{O}(\text{l}) \rightarrow \text{H}_2\text{O}(\text{g})$	covalent bonds


16. Which of the molecules listed below dissolve well in water.

- A. Methanol (CH_3OH)
- B. Propanol ($\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$)
- C. Butane ($\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$)
- D. Carbon tetrachloride (CCl_4)

17. Which of the following molecular substances, when mixed, will separate out into layers.

- A. Butane ($\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$) and carbon tetrachloride (CCl_4)
- B. Liquid hexane (C_6H_{14}) and water
- C. Liquid iodine (I_2) and methanol ($\text{CH}_3\text{CH}_2\text{OH}$)
- D. Octanol ($\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{OH}$) and water

18. A black ink was analysed using paper chromatography and the chromatogram shown on the right. Water was used as the solvent. Which statement is correct?



- A. The yellow pigment is the least polar molecule in the mixture.
- B. The blue pigment is more polar than the purple pigment.
- C. The purple pigment is most soluble in water.
- D. All pigments are just as soluble in water.

Consider the following information for questions 19 and 20.

The table below shows properties of four substances identified only by the symbols W–Z.

Substance	Density (g mL ⁻¹)	Melting point (°C)	Boiling point (°C)	Electrical conductivity	
				solid	liquid
W	2.0	119	445	nil	nil
X	13.5	-39	357	high	high
Y	2.4	714	1437	nil	high
Z	2.6	1713	2230	nil	nil


19. Identify which substance is most likely to be hard, brittle and soluble in water?

- A. W
- B. X
- C. Y
- D. Z

20. Identify which substance is most likely to be a molecular compound?

- A. W
- B. X
- C. Y
- D. Z


21. The trend in electronegativity across a period from left to right is best given by which graph.



- A. A
- B. B
- C. C
- D. Either B or C

22. Which of the graphs shows the change in core charge down a group?

- A. A
- B. B
- C. C
- D. Either B or C



23. Which of the following is the correct ground state subshell configuration of copper (Cu)?

- A. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^9 4s^2$
- B. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^1$
- C. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^8 4s^2 4p^1$
- D. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10}$

24. An atom of cobalt (Co atomic number 27) in an excited state. Which configuration represents this excited state?


- A. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^7 4s^2$
- B. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^6 4s^2 4p^6$
- C. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^8 4s^2$
- D. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^7 4s^1 4p^1$

25. What is the correct electron configuration of the Iron ion Fe^{3+} ?

- A. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^5 4s^1$
- B. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^5$
- C. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^6$
- D. $1s^2 2s^2 2p^6 3s^2 3p^6 3d^4 4s^2$

Section B: short answer questions


1. Calcium is a silvery-white, soft metal with an atomic number of 20.



a) Draw a **labelled** diagram to represent a calcium metal lattice. **(2 marks)**

b) Describe the type of force holding the metal lattice together and the particles between which it acts . **(2 marks)**

2. Explain why an ionic crystal will shatter upon impact with a hammer. Use a diagram to support your response. (2 + 1 = 3 marks)



3. a) List the following fluorine-containing substances in order of **increasing** melting temperature and justify your answer. **(3 marks)**



b) Justify the difference in melting point between CF₄ and HF. **(2 marks)**

c) Justify the difference in melting point between HF and NaF. **(2 marks)**

4. Dry ice, pictured below, is composed of carbon dioxide molecules.



a) Draw an electron dot structure of the CO_2 molecule clearly labelling all bonding and non-bonding electrons. **(2 marks)**

b) Describe the shape of the CO_2 molecule and explain why it has this shape. **(2 marks)**

c) i) State whether carbon dioxide is a polar or non-polar molecule. **(1 mark)**

ii) Explain your response to i). **(1 mark)**


5. Complete the following table. (6 marks)

Name	Molecular formula	Draw structural diagram of molecule	Is the molecule polar or non-polar?	Shape of the molecule
Hydrogen chloride	HCl			
Ammonia	NH ₃			
Tetrachloromethane	CCl ₄			
Trichloromethane	CHCl ₃			

6. Write a full balanced chemical equation and net ionic equation for the reaction between silver nitrate and potassium iodide (4 marks)


7. Methanol (CH_3OH) and phosphine (PH_3) are molecules with a similar molar mass.

a) Draw full structural diagrams showing **all** bonds, 3 dimensional space, for methanol and phosphine in the space provided below. **(2 marks)**




b) Explain why the boiling point of methanol (65°C) is much higher than that of phosphine (-88°C). **(2 marks)**

8. Two separate inks were tested using paper chromatography. Both chromatograms are shown below.




Is the same purple dye used in both of these inks? Justify your answer with a calculation based on the chromatograms given above.. **(4 marks)**

9. Five metals were placed in separate test tubes with 10 mL of 1 M HCl. Gas was seen to evolve and bubble out of solution. The results are shown below.



a. Place the metals in order of reactivity, most reactive metals on the left and least reactive on the right. **(1 mark)**



b. For each of the metal pairs place an arrow to indicate in which direction electrons will travel when the metals are placed so they are in contact with each other. **(2 marks)**

Magnesium _____ Copper

Aluminium _____ Zinc

c. Consider the rivets shown on the right. When left out in the rain the rivets were badly rusted. Using your chemical knowledge of reactive metals identify the metal that rusted and give an explanation.



(2 marks)